Storts Here

25

What's your next project?





FREE PROJECT INCLUDED!

For the DIY Enthusiast



Nothing sets the pace better than the new Pacesetter series from Brother. Designed with the DIY enthusiast in mind, this versatile seven-model lineup caters to all levels of experience. With state-of-the-art features and a wide range of included accessories, you can tackle virtually any project with ease. You always knew sewing and quilting were fun, so get off to a great start and let Pacesetter lead the way.











- 100 built-in sewing stitches, 7 styles of one-step . buttonholes, and 4 sewing lettering fonts
- 8.3" from needle to arm, giving you more room to easily . maneuver fabric when working on fashion and home décor projects
- Reinforcement stitch to automatically sew a tie-off stitch when working on your projects
- Improved sewing with the longer feed dogs and zigzag foot for a smoother sewing experience
- Automatic thread cutter for quickly and conveniently cutting . upper and lower thread

- Pacesetter **PS500**
- 2.4" x 1.3" LCD display to easily manage all your sewing functions
- Personalize your stitches with the stitch combination feature .
- . Manual thread tension allows you to make adjustments that suit different weights of thread
- Presser foot pressure adjustment feature allows you to easily adjust the pressure of your foot to accommodate various types of fabrics
- Wide range of included accessories, including a dust cover



- 100 built-in sewing stitches, including 8 styles of one-step auto-size buttonholes, and 1 sewing lettering font
- Back-lit LCD screen display with push-button selection allows you to view the settings for selected switches, stitch length and width, and the type of presser foot to use
- Electronic variable speed control helps ensure you sew with safety and accuracy, particularly on intricate details or curves
- Sew with or without the electronic foot controller with the Start/Stop button and foot controller options



- 17 built-in sewing stitches, including 1 style of four-step buttonholes
- Easy-to-use blind hem stitch helps create professional-looking hems, making mending less of a chore
- . Brightly lit LED work area makes it easier on the eyes when sewing on dark fabrics, ensuring accurate seams and stitch quality
- Easy bobbin winding system, winds the bobbin when pressing on the vertical shaft

Pacesetter PS300T

SEWING BUNDLE:

WIDE TABLE, CORDING FOOT, AND **CONCEALED ZIPPER FOOT**

Over \$100 value

- Easy-to-use needle threading system the thread is pushed through the eye of the needle with the press of a lever
- Bobbin winding system provides a fast and simple bobbin winder, with just the press of a lever
- Jam-resistant Quick-Set drop-in top bobbin just drop in a full bobbin, pull the thread through the slot and start sewing
- Free arm sewing surface for working on cuffs and sleeves
- Concealed zipper foot for your convenience when inserting an invisible zipper
- Wide range of included accessories, including a dust cover

Pacesetter **PS100**

- Jam-resistant drop-in top bobbin just drop in a full bobbin, pull the thread through the slot and start sewing
- Easy stitch selector dial allows you to choose the desired stitch from the stitch reference guide, then select stitches using the convenient dial
- Upper thread tension control dial feature controls thread tension to create even stitches
- Free arm sewing surface for working on cuffs and sleeves





- 180 built-in sewing stitches, including 40 combinable stitches, 10 styles of one-step buttonholes and 5 sewing lettering fonts.
- 8.3" from needle to arm, giving you more room to easily maneuver fabric when working on quilting and home décor projects
- Improved sewing with the longer feed dogs and zigzag foot for a smoother sewing experience
- My Custom Stitch feature so you can create personalized . sewing stitches and save for future use
- Reinforcement stitch to automatically sew a tie-off stitch . or easily sew a block of decorative stitches



- 53 built-in sewing stitches, including 1 style of . one-step buttonhole
- Brightly lit LED work area makes it easier on the eyes when sewing on dark fabrics, ensuring accurate seams and stitch quality
- Easy stitch selector dial allows you to choose the desired stitch from the stitch reference guide, then select stitches using the convenient dial
- Easy-to-use needle threading system the thread is pushed through the eye of the needle with the press of a lever

Pacesetter **PS700**

QUILTERS BUNDLE:

WIDE TABLE, OPEN TOE FOOT, STITCH GUIDE FOOT, QUILTING FOOT, WALKING FOOT, AND 1/4" PIECING FOOT

Over \$300 value

- Advanced needle threading system with the press of a lever, the thread is pushed through the eye of the needle
- Jam-resistant Quick-Set drop-in top bobbin just drop in a full bobbin, pull the thread through the slot and start sewing
- Bobbin winding system provides a fast and simple bobbin winder, with just the press of a lever
- . Knee lifter included allows you a "hands-free" way to maneuver your fabric as you sew
- Wide range of included accessories, including a dust cover

Pacesetter **PS200T**

QUILTERS BUNDLE: WIDE TABLE, WALKING FOOT AND GUIDE Over \$100 value

- Jam-resistant Quick-Set drop-in top bobbin just drop in a full bobbin, pull the thread through the slot and start sewing
- . Quick change presser feet allow you to easily change the feet to meet your sewing needs
- Free arm sewing surface for working on cuffs and sleeves
- Adjustable stitch width and length feature allows you to easily set the stitch size for your project
- Built-in threading system With the press of a lever, the thread is pushed through the eye of the needle.
- Wide range of included accessories





Pacesetter PS5234

THREAD BUNDLE INCLUDED 4-SPOOL MULTI-COLOR THREAD KIT

- 2/3/4 thread (1 or 2 needles) multiple thread options allow you to easily convert between 2, 3 or 4 thread stitches for professional finishes
- Color-coded thread guides allow for easy upper and lower threading and quick changes for all types of thread
- The one-touch needle threading for two needles feature makes it easier on the eyes and fingers when serging
- The included large extension table expands your work area and makes for greater fabric control while overlocking, and also provides storage
- Adjust thread tightness for perfectly formed stitches on varying fabric thicknesses with two stitch fingers
- Brightly lit LED work area makes it easier on the eyes when sewing on dark fabrics, ensuring accurate seams and stitch quality

- Differential feed ratio of 0.7mm to 2.0mm helps improve stitch quality on all types of fabric
- Stitch up to 1,300 stitches per minute and create more in less time
- Removable table section makes serging cylindrical pieces quick and easy with the free arm serging feature
- Adjustable stitch width and length feature allows you to easily set the stitch size for your project
- Specialty feet included blind stitch foot and gathering foot
- Wide range of included accessories, including a dust cover



- 3/4 thread (1 or 2 needles) for professional garment appearance
- Color-coded thread guides allow for easy upper and lower threading and quick changes for all types of thread
- Stitch length: 2.0mm to 4.0mm is suitable for any type of project and is easily adjustable with stitch width dial
- Differential feed ratio (0.7mm to 2.0mm) helps improve stitch quality on all types of fabric
- Adjustable stitch width (5.0mm to 7.0mm) provides the perfect width, especially on lightweight fabrics and for the popular rolled hem on napkins and tablecloths
- Stitch up to 1,300 stitches per minute and create more in less time

Specialty feet included

Pacesetter PS3734T

- Serge away with ease on your large projects with the included wide table
- Brightly lit LED work area makes it easier on the eyes when sewing on dark fabrics, ensuring accurate seams and stitch quality
- Dual-use removable trim trap collects fabric as the adjustable serger knife trims and serges
- Presser foot pressure adjustment to help manage different fabric weights
- Specialty feet included blind stitch foot and gathering foot
- Wide range of included accessories, including a dust cover



8



Let's DIY! Fun Scrunchie Project: A Free '90s Hair-Raising Scrunchie Tutorial

Make several in all kinds of prints, colors, and materials all based on your fashion style.

Supplies:

- 1/4 yard of fabric (preferably a material with a smooth touch - like velvet, satin, or a soft cotton)
- 1/4" elastic
- Loop turner or safety pin



STEP 1

Start with a strip of fabric that measures 18" x 4". Use a 1/4" elastic that measures 11" total.

You will then knot it, so you want the additional length for the knot. Depending on the thickness of your hair, you may need to shorten or lengthen this.

STEP 2

You will then knot it, so you want the additional length for the knot. Depending on the thickness of your hair, you may need to shorten or lengthen this.

Fold the fabric in half, right sides together. Sew a 1/4" seam allowance, leaving 1.5" from the edge on each side. Flip right side out with the use of a loop turner or safety pin.





STEP 3

Fold the ends, pinning right sides together. (Now you know why the large seam allowance was needed.)



STEP 5

SERGER

Use a safety pin to guide the elastic through and securely knot the ends together. Then, clip the excess elastic. (Just make sure it's very tight, so it doesn't break when in use.)



TI	hreads
N	umber of Needles
0	verlock Seam Width
S	titch Length
S	titch Width
D	ifferential Feed
С	hange for Rolled Hemming
N	eedle Threading System
2	/3 Thread Change
С	olor-Coded Thread System
A	djustment for Thread Tightness
S	titch Finger
K	nife Drive Type
T	hread Tension System
Ρ	resser Foot Pressure Adjustment
0	n-Screen Prompts
F	ree Arm
Li	ght
S	pecialty Feet Included
In	cluded Wide Table
	aximum Sewing Speed
(S	titches Per Minute)
TI	nread Bundle

STEP 4

Sew the ends together. You will have to adjust as you sew by lifting the "pressure foot" up after stitching a bit. It will now look like this, with a 3" gap in the center.





STEP 6

Sew up the opening and close it by folding in the seam allowance and edge stitching.

Comparison Chart

3/4 2/3/4 2 2 3.0mm - 7.0mm 3.0mm - 7.0mm 1.0mm - 4.0mm 1.0mm - 4.0 mm 5.0mm - 7.0mm 3.0mm - 7.0mm 0.7mm - 2.0mm 0.7mm - 2.0mm 0.7mm - 2.0mm 0.7mm - 2.0mm 0.7mm - 2.0mm 0.7mm - 2.0mm Removable Removable Advanced - 1 2 Lower Drive Down Side Manual Manual • - - I 2 Lower Drive Down Side Manual Manual • - - I.ED Dual LED Lights • - 1,300 1,300		PS3734T	PS5234		
2 2 3.0mm - 7.0mm 3.0mm - 7.0mm 1.0mm - 4.0mm 1.0mm - 4.0 mm 5.0mm - 7.0mm 3.0mm - 7.0mm 0.7mm - 2.0mm 0.7mm - 2.0mm Removable Removable Advanced • • • • 1 2 Lower Drive Down Side Manual • • • • • 1 2 Lower Drive Down Side Manual • • • • • • • • • • • • • • • • • • • • • • • • •					
3.0mm - 7.0mm 3.0mm - 7.0mm 1.0mm - 4.0mm 1.0mm - 4.0mm 5.0mm - 7.0mm 3.0mm - 7.0mm 0.7mm - 2.0mm 0.7mm - 2.0mm 0.7mm - 2.0mm 0.7mm - 2.0mm Removable Removable Advanced - 0.7mm - 2.0mm 0.7mm - 2.0mm Removable Removable Advanced • 1 2 Lower Drive Down Side Manual • • • ILED Dual LED Lights • • • • • •		3/4	2/3/4		
1.0mm - 4.0mm 1.0mm - 4.0 mm 5.0mm - 7.0mm 3.0mm - 7.0mm 0.7mm - 2.0mm 0.7mm - 2.0mm Removable Removable Advanced - - 1 2 Lower Drive Down Side Manual - - - Down Side Manual - -		2	2		
5.0mm - 7.0mm 3.0mm - 7.0mm 0.7mm - 2.0mm 0.7mm - 2.0mm Removable Removable Advanced • • 1 2 Lower Drive Down Side Manual • - I LED LED Dual LED Lights • • • • • •		3.0mm - 7.0mm	3.0mm - 7.0mm		
0.7mm - 2.0mm 0.7mm - 2.0mm Removable Removable Advanced • • 1 2 Lower Drive Down Side Manual • - • - I Dual LED Lights • • • •		1.0mm - 4.0mm	1.0mm - 4.0 mm		
Removable Removable Advanced • • • • • • • I 2 Lower Drive Down Side Manual Manual • - ILED Dual LED Lights • • • •		5.0mm - 7.0mm	3.0mm - 7.0mm		
Advanced - - 1 2 Lower Drive Down Side Manual Manual - - ILED Dual LED Lights ILED I		0.7mm - 2.0mm	0.7mm - 2.0mm		
• • • 1 2 Lower Drive Down Side Manual Manual • • - • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • •		Removable	Removable		
• 1 2 Lower Drive Down Side Manual Manual • • - • • • Dual LED Lights • •	2	- internet and the state	Advanced		
• 1 2 Lower Drive Down Side Manual Manual • • - • • • Dual LED Lights • •	5	-			
1 2 Lower Drive Down Side Manual Manual • • - • 0 • • • • • • • • • • • • • • • • • • • • • • • •					
Lower Drive Down Side Manual Manual • • - • • • • • • • • • • • • • • • • • • • • • • • • • •			the second s		
Manual Manual • • • • • LED Dual LED Lights • •	-				
• • • • LED Dual LED Lights • • • •	20	and the second state of th			
• • LED Dual LED Lights • • • •	2	Manual	Manual		
LED Dual LED Lights					
LED Dual LED Lights	Ser.				
	4	LED	Dual LED Lights		
	2	and the second sec			
1,300	10		•		
		1,300	1,300		

Comparison Chart continued...

		PS500	PS300T	PS100	PS700	PS2001
	LCD Display Size (Horiz. x Vert.) Inches	2.4 x 1.3	2.0 x 0.7		2.9 x 1.6	<u>1</u>
	Display	Monochrome	Monochrome		Monochrome	
BASIC	Stitch Select	10 Key Touch Sensor and Direct Selection	Push-Button	Dial	10 Key Touch Sensor and Direct Selection	Dial
¥.	Built-in Languages			1 <u>-</u>	·	-
Ē	Lighting	2 LEDs	1 LED	1 LED	2 LEDs	1 LED
	Thread Tension	Manual	Manual	Manual	Manual	Manual
	Needle Threading System	Advanced	Easy	and the second second	Advanced	Manual
	Adjustable Bobbin Winding Speed	· · · · · · · · · · · · · · · · · · ·	•	1 - Partie Phase	·	
	Automatic Thread Cutter	•		the second and		1- 1 - 2 - 2 4
	Quick-Set Bobbin	•	• 1, - 1, - 1, - 1, - 1, - 1, - 1, - 1,		·	•
	Workspace (Height x Width) Inches	4.1 x 8.3	3.9 x 5.7	3.8 x 6.2	4.1 x 8.3	3.8 x 6.2
	Maximum Sewing Speed (Stitches Per Minute)	850	850	800	850	800
	Knee Lifter		<u> </u>		· · · · · · · · · · · · · · · · · · ·	
	Feed Dog	7 (Longer Version)	6	6	7 (Longer Ver- sion)	6
	Standard Presser Feet	7	9	5	14	5
SEWING	Built-in Sewing Stitches (Incl. Buttonhole Styles)	100	100	17	180	53
3	Buttonhole Styles	7 One-Step	8 One-Step	1 Four-Step	10 One-Step	1 One-Step
Ш	Built-in Sewing Lettering Fonts	4	1	a - Cartan	5	1-
Ű	Stitch Width	7mm	7mm	5mm	7mm	7mm
	Stitch Length	5mm	5mm	4mm	5mm	4mm
	My Custom Stitch Feature			i in the second second	2. • 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-
	Start/Stop Button		• 1		•	
	Speed Controller	B S A PROVIN	•		· · · · · · · · · · · · · · · · · · ·	-
	Twin Needle Setting Key		-			-
	Needle Position Key (Up/Down)	• •	•		•	-
	Presser Foot Pressure Adjustment	Manual	and a star and and a	a the second second	Manual	
Ŭ	Presser Foot Leveling			<u>- 1935 (193</u>		1-2-1-1-1
QUILTING	Drop Feed/Free-Motion	Manual	•	a stand of the	Manual	•
63 - 1-63	Included Quilting Feet			11.1.1.1.2.1	•	•
2	Included Wide Table		· in at at las			• · · · · · · · · · · · · · · · · · · ·
Q	Built-in Quilting Stitches	to a fact of the second	· all plants	a san a far an	1. 2 . 2 . 3 . 2 . 4	



For more information, call **1-800-4-A-BROTHER** or visit **www.PacesetterbyBrother.com**



HADFBPACESETTER



All images are for illustrative purposes only. All specifications subject to change. ©2019 Brother International Corporation