





Introductions

- Who am I?
- What is this?



Nate Moore

- In the embroidery industry since 1998
- Been with Melco for 16 years.
- Design is a passion.
- Work closely with the development team to create a new way to interact with the E16.
- Very grateful to be here and present this exciting new product.



E 16 PRO

- ✓ 16 Needles
- ✓ 16.1" x 15.5" sew field
- ✓ 300-1400 s.p.m. - flats
- ✓ 300-1200 s.p.m. - Wide-Angle Driver
- ✓ Patented Acti-Feed Technology
- ✓ and a Touchscreen Interface!



Quick Screen Overview

- View Window
- Status Bar
- Sew Settings
- Moving Through a Design
- Machine Operations
- Settings
- Maintenance
- Help




Sewing a Design

- Load A Design
- Set the Color Sequence
- Select the Hoop
- Set the Speed
- Adjust Acti-Feed Settings for Fabric
- Load Product onto the Machine
- Position Design within Hoop
- Adjust Presser Foot Height
- Trace Design
- SEW!




Loading a Design

- Tap the Load Design Button
- Select a Source
- Navigate to the Design
- Preview the Design
- Confirm to Load




Loading a Design

- Tap the Load Design Button
- Select a Source
 - Local Storage
 - USB
- Navigate to the Design
- Preview the Design
- Confirm to Load




Loading a Design

- Tap the Load Design Button
- Select a Source
- Navigate to the Design
 - OFM (v9+), DST, EXP, & ARTX
- Preview the Design
- Design Info
 - Favorite
 - Cut, Copy, Delete
- Confirm to Load



Loading a Design

- Tap the Load Design Button
- Select a Source
- Navigate to the Design
- Preview the Design
- Design Info
- Confirm to Load




Set Color Sequence

- Tap the Color Sequence Button
- Set Up Thread Tree
- Set Color Sequence
- Add Interrupts or Effects
- Confirm to Set




Set Color Sequence

- Tap the Color Sequence Button
- Set Up Thread Tree
- Set Color Sequence
- Add Interrupts or Effects
- Confirm to Set




Set Up Thread Tree

- Tap the Color Sequence Button
- Set Up Thread Tree
- Set Color Sequence
- Add Interrupts or Effects
- Confirm to Set



Set Up Thread Tree

- Tap the Color Sequence Button
- Set Up Thread Tree
 - Select Needle
 - Search by Name or Number
- Set Color Sequence
- Add Interrupts or Effects
- Confirm to Set




Set Up Thread Tree

- Tap the Color Sequence Button
- Set Up Thread Tree
 - Select Needle
 - Search by Name or Number
- Set Color Sequence
- Add Interrupts or Effects
- Confirm to Set



Set Up Thread Tree

- Tap the Color Sequence Button
- Set Up Thread Tree
 - Select Needle
 - Search by Name or Number
- Set Color Sequence
- Add Interrupts or Effects
- Confirm to Set



Set Up Thread Tree

- Tap the Color Sequence Button
- Set Up Thread Tree
 - Select Needle
 - Search by Name or Number
- Set Color Sequence
- Add Interrupts or Effects
- Confirm to Set



Set Up Thread Tree

- Tap the Color Sequence Button
- Set Up Thread Tree
- Set Color Sequence
 - Select the Color Block
 - Select the Needle
- Add Interrupts or Effects
- Confirm to Set



Set Up Thread Tree

- Tap the Color Sequence Button
- Set Up Thread Tree
- Set Color Sequence
 - Select the Color Block
 - Select the Needle
- Add Interrupts or Effects
- Confirm to Set




Set Up Thread Tree

- Tap the Color Sequence Button
- Set Up Thread Tree
- Set Color Sequence
 - Or Auto Color Match
- Add Interrupts or Effects
- Confirm to Set




Set Up Thread Tree

- Tap the Color Sequence Button
- Set Up Thread Tree
- Set Color Sequence
 - Or Auto Color Match
 - and Make Adjustments
- Add Interrupts or Effects
- Confirm to Set




Set Up Thread Tree

- Tap the Color Sequence Button
- Set Up Thread Tree
- Set Color Sequence
- Add Interrupts or Effects
- Confirm to Set



Select a Hoop

- Tap the Hoop Selection Button
- Select a Category
- View in Inches or Centimeters
- Show/Hide Hoops




Select a Hoop

- Tap the Hoop Selection Button
- Select a Category
- View in Inches or Centimeters
- Show/Hide Hoops
- Select the Hoop
- Tap Confirm



Select a Hoop

- Tap the Hoop Selection Button
- Select a Category
- View in Inches or Centimeters
- Show/Hide Hoops
- Select the Hoop
- Tap Confirm



Set Sew Speed

- ☑ Tap the - or + to adjust
 - 300 - 1400 on flats
 - 300 - 1200 or Wide-Angle Driver



Adjust Acti-Feed


Minimum

- Tap the - or + to adjust

Maximum


- Rarely required
- Tap the - or + to adjust

Use Suggestions



Adjust Acti-Feed

- Minimum
 - Tap the - or + to adjust
- Maximum
 - Rarely required
 - Tap the - or + to adjust
- Use Suggestions




Loading Hooped Product

- CHECK YOUR BOBBIN!
- Slide hoop into place
- Pull back to ensure is secure
- Balloon out product




Sewing a Design

- Load A Design
- Set the Color Sequence
- Select the Hoop
- Set the Speed
- Adjust Acti-Feed Settings for Fabric
- Load Product onto the Machine
- Position Design within Hoop
- Adjust Presser Foot Height
- Trace Design
- SEW!




Transform

- Tap the Transform Button
- Position the Design in the Hoop
- Rotate if Needed
- Confirm the Position



Transform

- Tap the Transform Button
- Position the Design in the Hoop
 - Drag in View Window
 - Position by Number
 - Physical Buttons
- Rotate if Needed
 - Drag on Rotate Bar
 - Quick Rotate Buttons
- Confirm to Exit




Transform

- Tap the Transform Button
- Position the Design in the Hoop
 - Drag in View Window
 - Position by Number
 - Physical Buttons
- Rotate if Needed
 - Drag on Rotate Bar
 - Quick Rotate Buttons
- Confirm to Exit




Transform

- Tap the Transform Button
- Position the Design in the Hoop
 - Drag in View Window
 - Position by Number
 - Physical Buttons
- Rotate if Needed
 - Drag on Rotate Bar
 - Quick Rotate Buttons
- Confirm to Exit




Transform

- Tap the Transform Button
- Position the Design in the Hoop
 - Drag in View Window
 - Position by Number
 - Physical Buttons
- Rotate if Needed
 - Drag on Rotate Bar
 - Quick Rotate Buttons
- Confirm to Exit




Transform

- Tap the Transform Button
- Position the Design in the Hoop
 - Drag in View Window
 - Position by Number
 - Physical Buttons
- Rotate if Needed
 - Drag on Rotate Bar
 - Quick Rotate Buttons
- Confirm to Exit



Transform

- Tap the Transform Button
- Position & Rotate
 - Using Laser Alignment
- Confirm to Exit



Laser Alignment

- Tap the Laser Alignment Button
- Confirm the First Position
- Confirm the Second Position
- Select Position of Design
- Confirm to Exit



Laser Alignment

- Tap the Laser Alignment Button
- Confirm the First Position
- Confirm the Second Position
- Select Position of Design
- Confirm to Exit




Laser Alignment

- Tap the Laser Alignment Button
- Confirm the First Position
- Confirm the Second Position
- Select Position of Design
- Confirm to Exit



Laser Alignment

- Tap the Laser Alignment Button
- Confirm the First Position
- Confirm the Second Position
- Select Position of Design
- Confirm to Exit



Laser Alignment

Tap the Laser Alignment Button



• Use View Options



• Enable the Regi Marks

Confirm the First Position

Confirm the Second Position

Select Position of Design

Confirm to Exit



Laser Alignment

Tap the Laser Alignment Button



• Use View Options



• Enable the Regi Marks

Confirm the First Position

Confirm the Second Position


Select Position of Design

Confirm to Exit



Sewing a Design

- Load A Design
- Set the Color Sequence
- Select the Hoop
- Set the Speed
- Adjust Acti-Feed Settings for Fabric
- Load Product onto the Machine
- Position Design within Hoop
- Adjust Presser Foot Height
- Trace Design
- SEW!



Optional - Needle 16

- Tap the Move to Needle Button
- Select Needle 16
- Confirm to Move to Needle 16
- More easily see Presser Foot gear




Adjust Presser Foot

- Tap the Presser Foot Button
- Confirm to Lower the Presser Foot
- Adjust the Presser Foot
- Confirm to Raise the Presser Foot



Adjust Presser Foot

- Tap the Presser Foot Button
- Confirm to Lower the Presser Foot
- Adjust the Presser Foot
- Confirm to Raise the Presser Foot



Adjust Presser Foot

- Tap the Presser Foot Button
- Confirm to Lower the Presser Foot
- Adjust the Presser Foot
- Confirm to Raise the Presser Foot





Sewing a Design

- Load A Design
- Set the Color Sequence
- Select the Hoop
- Set the Speed
- Adjust Acti-Feed Settings for Fabric
- Load Product onto the Machine
- Position Design within Hoop
- Adjust Presser Foot Height
- Trace Design
- SEW!






Trace the Design

- Tap the Trace Button
- Optional - Select Trace Shape
 -  Polygon Outline
 -  Rectangular
- Optional - Select Trace Speed
- Tap Trace Start to begin the trace
 -  Pause
 -  Abort / Return to Origin

Sewing a Design


- Load A Design
- Set the Color Sequence
- Select the Hoop
- Set the Speed
- Adjust Acti-Feed Settings for Fabric
- Load Product onto the Machine
- Position Design within Hoop
- Adjust Presser Foot Height
- Trace Design
- SEW!





Sewing a Design

- Load A Design
- Set the Color Sequence
- Select the Hoop
- Set the Speed
- Adjust Acti-Feed Settings for Fabric
- Load Product onto the Machine
- Position Design within Hoop
- Adjust Presser Foot Height
- Trace Design
- SEW!




Status Bar

- Shows Progress
- Shows Color Sequence
- Shows Machine State
 - Green - Sewing
 - Amber - Interrupt or Break
 - Red - Hoop Limit, E-Stop, Error
 - Silver - Idle or Ready



Status Bar

- Shows Progress
- Shows Color Sequence
- Shows Machine State
 - Green - Sewing
 - Amber - Interrupt or Break
 - Red - Hoop Limit, E-Stop, Error
 - Silver - Idle or Ready




Status Bar

- Shows Progress
- Shows Color Sequence
- Shows Machine State
 - Green - Sewing
 - Amber - Interrupt or Break
 - Red - Hoop Limit, E-Stop, Error
 - Silver - Idle or Ready




Status Bar

- Shows Progress
- Shows Color Sequence
- Shows Machine State
 - Green - Sewing
 - Amber - Interrupt or Break
 - Red - Hoop Limit, E-Stop, Error
 - Silver - Idle or Ready




View Window

- Shows Progress
 - 2D = Unstitched
 - 3D = Stitched
 - Current Stitch
- Zoom & Pan
 - View Follows Current Stitch
- Full Screen



View Window

- Shows Progress
 - 2D = Unstitched
 - 3D = Stitched
 - Current Stitch
- Zoom & Pan
 - View Follows Current Stitch
- Full Screen



View Window

- Shows Progress
 - 2D = Unstitched
 - 3D = Stitched
 - Current Stitch
- Zoom & Pan
 - View Follows Current Stitch
- Full Screen



View Window

- Shows Progress
 - 2D = Unstitched
 - 3D = Stitched
 - Current Stitch
- Zoom & Pan
 - View Follows Current Stitch
- Full Screen



Maintenance

- Maintenance Timers
- Technical Screens



Maintenance

- Maintenance Timers

-  Begin Step-through

-  DUE!


- Technical Screens

-  Head Timing

-  Needle Case Calibration

-  Sensors

-  Steppers





Maintenance


- Step-Throughs

-  Step Back

-  Step Forward

-  Cancel

-  Confirm and Reset Timer





Maintenance

- Status Log
 - Gives a history





Settings


- Touchscreen Settings
- Design Filter
- Advanced Acti-Feed Calibration
- Machine Preferences
- Software Updates

Settings

- Machine Name
- Network
- Time Zone
- Measurement Units
- Touchscreen Settings
- Additional Settings

-  Design Filter
-  Advanced Acti-Feed
-  Machine Preferences
-  Software Update





Design Filter


- Stitch Filters
- Ties and Trims
 - If your design is not trimming when it should or trimming when it should be a long satin stitch, look at the Count to Convert.
- Pull Compensation



Machine Preferences


- Thread Break Detection and Backup
- End-of-Design Hoop Behavior
- Trim Types

- Auto Closest Color Match on Load




Advanced Acti-Feed

- Adjusts how thread is fed
- Adjusts how the machine responds to sensor feedback
- Adjusts Thread Break Sensitivity




Software Update

- Shows the current software
- Shows what's available to reboot into



? Help

- Shows the manual
- If the internet is connected, shows video content



? Help

- Shows the manual
- If the internet is connected, shows video content